

Automation Ver 23.0.4.30 Changes and Improvements

Version 23.0.4

SOD-2093 Scaling issues in Import V22 database wizard on high dpi monitors
SOD-2089 Download from Portal does not handle Mainreference and with reference correctly
SOD-2084 Disabled button icons in design symbol was sometime pink
SOD-2082 Download of Pneu-components from the Portal failed
SOD-2079 Crash in the Component wizard when editing a symbol with states.
SOD-2077 Error when copying component in ComponentWizard
SOD-2072 Some manufacturers was not recognized, when importing data to database
SOD-2071 Crash, can't write to inifile (Router and Mountingassist)
SOD-2070 Crash, can write to inifile
SOD-2069 The wire icon should not be shown after selection of the Arrangement tab.
SOD-2067 Designcheck can give a crash
SOD-2061 Crash, when importing from componentportal, when no projects are open
SOD-2060 The texts Copy and Transfer properties was messed up.
SOD-2059 Plc: Transfer plc-address from ref.symbol to plc.symbol doesn't reset ComponentID thus creating faults in Component grouping and confusing usr/pcs data.
SOD-2057 Import from portal does not check versionnumber
SOD-2056 Panelbuilder crashes when generating SLD
SOD-2055 Panelbuilder does not work when Automation is connected to a MSSQL-database
SOD-2054 Download of components from portal may not contain complete CWCode-data
SOD-2053 Cable radius from database not always interpreted correctly
SOD-2051 In ComponentData, copy/paste and when selecting used, ComponentID is not processed
SOD-2050 No rename if the only symbol on a new page is a Drawing header.
SOD-2049 The hint on the Help Objects icon has been corrected
SOD-2046 RDS text rendering when moving or resizing reference frame
SOD-2044 No description
SOD-2043 Drop of portalkomponents in Panelbuilder can cause the importwindow to get in the back.
SOD-2042 Lists may be sorted incorrectly
SOD-2041 DB22 import: Better message when fields are truncated
SOD-2040 Crash when clicking Design Check. Form.ini could not be saved
SOD-2035 Componentguide gan crash on close, if editing PLC pindata
SOD-2034 Componentguide PLC, not always possible to change tab
SOD-2033 Componentguide PLC, IO and Adresses show wrong data
SOD-2032 Componentguide PLC, "Next"-button is sometimes dimmed
SOD-2031 Crash when placing PLC with alternatives
SOD-2030 Crash when placing a symbol with the option Multisymbol active. Now repaired
SOD-2029 PLC IOStatusType (fx. "AI^Ampere") is not imported from portal
SOD-2024 Automation V23 can't open certain V22 projects
SOD-2023 Reconnect components did not re-connect all components in some cases
SOD-2022 Components/Reconnect would in some cases map to incorrect component
SOD-2008 Description for fixed accessories missing on lists in some cases
SOD-2006 Symbol editor must reset all terminals according to symbol rules when a symbol type is changes
SOD-2004 If an 'unknown' article numbers is found in the prioritized list of article numbers, it is not unknown
SOD-2002 CW-settings: it should not be possible to select premapped fields again for the 'other fields' tab
SOD-2000 Grid for selecting alternatives in plcs doesn't clearly show input and output
SOD-1998 Missing translation of texts in IO-list import dialog
SOD-1997 In some cases, the Graphical plans generation reset the page RDS on the first page in the project
SOD-1940 Replace symbols: New checkbox allows 'Keep symbol state'
SOD-1934 Error when unpacking Units to parts and components lists, when quantity was > 1
SOD-1933 Editing of article in Object Lister did not work
SOD-1518 In the Objectlister the Z coordinate can now only be edited on symbols placed on a mechanical page
SOD-1446 Wlrenumber dialog Restart at new page was too difficult.
SOD-345 Clouds will now always appear in the Objectlists when selecting Lines.
SOD-237 Hint text added to fixed accessorie on a cable. Hint = "Per cable"
AUTO-7870 The printed copy number can be shown on the printout using a new project data field.
AUTO-7864 [Improvement] New option in PDF export : Use Images as resources
AUTO-7861 [Improvement] The Panelrouter could not accept differens group numbers between dia-page and mec-page
AUTO-7848 [Improvement] Direct access to Component portal from the Panelbuilder

Version 23.0.3

SOD-2027 PCSCHEMATIC Database add new table was not working
SOD-2018 På mekanisk side: Hvis Anvend projektets indstillinger ved placering af objekter" er slået til, så ændres kun font og farve
SOD-2014 Choosing Relative in the coordinatebox on the mechanical page will also set Z to zero
SOD-2007 DWG/DXF setting/Open drawing would crash in some cases
SOD-2005 Filter mixes up "less than" and "not equal"
SOD-2003 Drag-and-drop of component from portal crashes program if dot is part of the picture file
SOD-1999 Systemmaintaining of inifiles can give errors
SOD-1996 Invisible terminals on a DIA page caused that there were missing routings in the Panelrouter.
SOD-1995 Acces to webportal through Automation can not handle all timezones

SOD-1994 Crash and bugs related to Filterpanel
 SOD-1991 Crash when importing database, using "contains" filter
 SOD-1988 Updating component lists gives not-relevant info about description language settings
 SOD-1987 Crash when importing database, using boolean filters
 SOD-1986 Predefined PLC symboldatafields cannot be added with Pre-text. As designed
 SOD-1983 The Align function on a Symbol-group, spoiled a symbol group. Is now disabled on Symbol-groups.
 SOD-1981 The program used unnecessary time converting symbols when only showing symbol Titles
 SOD-1980 Visible in the RDS tab (cable, Signal, Wireno dialogs) should not be shown in the Automation program
 SOD-1979 Inserting Notes on empty link-lines results in crash
 SOD-1978 Article number was cleared if the symbol contains an article from the symbol library
 SOD-1977 Crash: replace subdrawing leads to crash
 SOD-1976 Crash: renaming a symbol group may lead to crash
 SOD-1975 Mounting assistance crashed when shift from Show not mounted to Show mounted
 SOD-1974 Crash when opening Import components from V22
 SOD-1973 Crash when importing V22 database
 SOD-1972 Panelbuilder crashes, if there are no database connected
 SOD-1971 Crash when placing PLC
 SOD-1969 Crash, when dragging components from portal (by file), into Automation, if not connected to a database
 SOD-1968 Crash if no database is connected
 SOD-1965 Crash when importing DWG-file
 SOD-1964 Crash can happen, in "Update from component database"
 SOD-1963 If no mapping are made for Menu-table, a crash can happen in the database-dialog
 SOD-1961 Edit symboldatafields module, crashes if no project are open.
 SOD-1959 Databaseimport is showing wrong values/data
 SOD-1958 Error importing database
 SOD-1957 Crash in Drag'n drop from Component portal
 SOD-1956 Objekt lister highlights incorrectly when using Symbol data fields
 SOD-1955 Syntax error when importing fields with spaces
 SOD-1951 Database data fields on cable/terminal/PLC/Net lists is not converted/translated while loading in V23
 SOD-1903 Export to DWG: Incorrect first page number while displaying DWG / DXF export
 SOD-1882 Component Wizard may crash when clicking Next
 SOD-1828 Symbol reference disappear on Main reference symbol when exporting to PDF til PDF and Updating references
 SOD-1619 Invalid port number in License setup could lead to crash
 SOD-1267 Page menu: When changing the reference name on several pages at a time, RDS on symbols does not change.
 AUTO-7843 [Improvement] Possibility to get Panelbuilder components from within PanelBuilder-module
 AUTO-7837 [Improvement] Objektlister kan underopdele symbolers datafelter
 AUTO-7836 Rediger symbolers datafelter: Håndtering af flere Excelark
 AUTO-7835 RedigerSDF-modul: Se ændringer i forhold til aktivt produkt.
 AUTO-7832 Osifont replaces the Albertus Medium font

Version 23.0.2

SOD-1953 F4 could cause a program crash
 SOD-1952 Textfonts like osifont was sometime substituted in pdf export and printing
 SOD-1949 Creating a new manufacturer did not always work
 SOD-1948 connect Show available PLC to the available address on the reference card using the button I/O addr. could lead to a crash
 SOD-1947 Viewer could not open old projects

Version 23.0.1

SOD-1946 Component dialog, accessories, shows correct article number
 SOD-1945 'Default to UK' function for ie missing manuals on selected language is now working again
 SOD-1943 The selection of Article database field was not saved with the project and not in the ini-file
 SOD-1942 Selecting PLC I/O Data (right-click) on a PLCreference card (new metode) did not work
 SOD-1941 Wrong readdressing of PLC reference cards when more than 8 in- or outputs
 SOD-1938 2 PLCreference cards, e.g. -K1.1 and -K1.2 did not get correct group names
 SOD-1937 'All' Text/Symbol defaults are not transferred correctly with the Project Generator.
 SOD-1936 The Symbol Settings dialog in Symbol Editor is now resizable
 SOD-1935 The chosen articlenumber (type) are not always shown when placing a component
 SOD-1932 Export dialog size problem on dual monitor with different scale (dpi settings)
 SOD-1931 The show available window was not updated when changing Addresses on the PLC-reference symbol
 SOD-1928 Layout of datavalues in "Edit record"-dialog, should be improved for number-types.
 SOD-1927 Transfer PLC data from Reference symbol failed if reference symbol has no RDS and the I/O symbol has RDS
 SOD-1925 Rare crash when 'Show Component' is active
 SOD-1924 Crash when dragging from portal, if symbol directory or alias does not exist
 SOD-1923 Crash when picking symbol from componentmenu
 SOD-1922 Connecting to a database that is not valid for V23, can give crashes
 SOD-1921 Crash when selecting component followed by changing the reference designation
 SOD-1920 "Change path"-button in URL-links, don't work as expected
 SOD-1918 Synchronization between a PLC referensymbol(group) failed
 SOD-1917 Database program: When selecting another menu table, the program is searching for an old field name
 SOD-1916 Crash when showing hint on accessoryfields in the edit recorddialog.
 SOD-1915 Import from v22 database: Attempting to create new custom field failed, if the connected v23 database required

user/password

SOD-1914 V22-db-import: Field mappings not always correct, when the user does not use an IDB file

SOD-1913 V22-db-import: Crash if IDB file was used that pointed to a field that did not exist in the table

SOD-1911 Some minor text display issues in project settings page

SOD-1910 Db22-importer: Crash if user attempts to open text file that does not exist (article number text file)

SOD-1909 Fixed crash in component wizard when changing symbol state in alternative symbol, and when rearranging symbols.

SOD-1908 Part -/Component list: Choose "=-design." in "Setup/Criteria" press on = sign on the keyboard (crash)

SOD-1906 Terminal list to file: the data field "Cmp. group No." is missing

SOD-1905 In some cases a "Invalid typecast error" was reported when multiple components were imported

SOD-1904 V22-db-import: Import of custom fields did not succeed if the field type was not string

SOD-1901 2 texts in the Mounting assistance function was only English

SOD-1900 A PLCreference group does not ask for a name when placing

SOD-1899 Crash when opening a v22 project if an alternative article number was used (mapped) in the internal project database

SOD-1896 Mixed Portal and user components did not work when using Mechanical placement

SOD-1893 Showing License data in setting or click on Component portal button might raise EConvert Error

SOD-1891 If there is alternatives on PLC then "Place all" does not work on I/O

SOD-1889 'Mechanical load' can only place usr-symbols

SOD-1888 Import from v22 database: File filter for ACCDB was missing in the import dialog

SOD-1887 In some cases the old MANUFACTUR/FABRIKAT is not converted correctly

SOD-1886 Import v22 user settings: the section Libraries is missing (containing links to templates and subdrawings)

SOD-1885 Import of v22 components: v22 DESCRIPT must be imported into both DescriptUK and DescriptUS

SOD-1884 Edit symbol could sometimes create two Save icons in the toolbar

SOD-1881 PLC-ref symbols: the (new) symbol groups cannot have current path names or page's rds. This is now fixed

SOD-1878 Edited a symbol, from the symbolmenu can take a long time updating symbol-graphic.

SOD-1876 Placing PLC-referencesymbols by "place all", can't handle componentname correctly

AUTO-7832 Osifont replaces the Albertus Medium font

AUTO-7818 Templates and Frames for A0-A3 for house installations have been created

AUTO-7801 Lists to file in the Tools menu did not work

AUTO-7785 If no symbols were found in the area the empty dialog looked odd. The Dialog title has now been changed

AUTO-7771 The functionality in "Show terminal row" now works for all terminals